

Catalogue 2026



NINGBO DAYE POWER MACHINERY CO.,LTD

Address: No.1, Xin Yang Road, Di Tang Street, Yuyao, Zhejiang, China

Tel: 0086-574-62836898 Fax: 0086-574-62835099

WeChat/Whatsapp: +86 - 180 5858 4090

E-mail: sales@dayeepower.cn

<https://www.dayeepower.cn>

The Dayee policy of continuous improvement means that specifications can be changed without prior notice, the real product may vary from the pictures shown on this catalogue



CONTENTS



Remote Controlled Lawnmower - - - - -	1-9
Remote Control Snow Blower - - - - -	10
Remote Controlled Lift - - - - -	11

Ningbo DAYE Power Machinery Co.,Ltd was founded in 2004. At that time, we purchased a lawnmower factory in Shanghai, and we became the earliest and most professional mower-making factory in China. DAYE got ISO9001 in 2004. After more than 20 years, DAYE has accumulated abundant R&D, manufacturing, and sales experience. As our customers, DAYE gives you so many choices. First, we have two kinds of power engines: gasoline and electric. Second, we provide different sizes to you: 13", 16", 17", 18", 19", 20" and 21". So we have over 80 models for you to choose. All of our models have CE, GS, EMC, NOISE, EURO V certificate. DAYE promises to you that every machine you get from our factory is comply with requirements of the certificates. DAYE has established stable and reliable parts supplying chain system. DAYE keeps and improves ISO9001 quality system continuously, and ensures the products quality and in time delivery. After more than 20 years effort, DAYE has gathered many outstanding technicians in the field. DAYE is the leader in new products development and can successfully develop new products in very short period.

1. We are the earliest lawnmower factory in China
2. We are the most professional mower-making factory in China
3. We have more than 20 years experience in lawn mower, and have accumulated abundant manufacturing and sales experience.
4. We are the most professional remote controlled lawnmower and snowblower in China

Remote Controlled Lawnmower

Professional Series

The Remote Control line by DAYEE Power covers an range , the result of the commitment and passion of a team of experts who have dedicatedly created an innovative product capable of meeting the real needs of users. The choice to use high-quality materials and adopt the most advanced technologies guarantees the new introductions reliability, durability and excellent performance. With the powerful engine and battery, exceptional mowing power is guaranteed on any terrain , even on slopes of up to 50' . The range is unbeatable for major mowing jobs, removing tall and thick grass, and clearing under-growth. They are easy to maneuver, in fact the management of all functions can be radio-controlled up to 200 m away, ensuring maximum safety. It's about power, versatility and innovation at the service of professionals, demanding users and private individuals.

Advantage

Convenient and safe

Easy to operate via remote control. Reduces the risk of manual operation, especially when manipulating slopes or complex terrain.

Applicability

Remote control lawn mowers are suitable for a variety of different types of lawns, including larger or complex lawns.

Precision

The remote control lawn mower can control the range and height of mowing almost precisely, ensuring that the lawn is neat and beautiful.



Gardening and landscaping

DAYEE' s professional technology offers solutions for the diverse tasks of gardening and landscaping, from outdoor facilities to private gardens, public parks and residential lawns.height of mowing almost precisely, ensuring that the lawn is neat and beautiful.



Road maintenance

Maintaining roadways often involves mowing high grass and slopes, two specialties of DAYEE' s professional technology.



Utilities

DAYEE offers professional technology for the maintenance of green spaces in and around public utility facilities.



Hunting and forestry

In forests and on hunting grounds, mowing can take place as infrequently as once per year or even at intervals of several years. DAYEE machines are engineered to tackle the thick growth native to these areas as well as Christmas tree plantations.



Commercial landscaping

Performance on rough terrain, perfect cutting results and high efficiency are advantages DAYEE machines provide to professional service providers.



Solar parks

Efficiency is crucial to maintaining a profitable solar park. DAYEE offers the ideal tools to properly maintain the green areas around and under solar panels.

Remote Controlled Lawnmower

Professional Series



Model	DY210-3000SB-00
Power	3000W
Starting Type	Electric
Cutting Width	20 Inch(520mm)
Battery	48V/40Ah
Cutting Height	30-70mm
Remote Control Distance	500m
Driving Speed	0-3km/h
Maximum Tilt Angle	25°
N.W.	108kg
G.W.	142kg
Machine Size	1050*980*470mm
Package Size	1110*1040*640mm



Model	DY210-224SB-00
Engine Type	Loncin 1P75F , Air cooled, Single Cylinder
Displacement	224CC
Engine Net Power(kW/3600r/min)	6.0HP(4.5kW)
Driving Motor Power	600W×2
Max Voltage	24V
Charging Voltage/Input Voltage	24V/AC110-220V
Cutting Width	21 inch (530mm)
Cutting Height/Adjustment	30-105mm /Electric
Track Width	120mm
Working Speed Forward/Backward	0~5km/h
Remote Control Distance	Up to 200m
Driving System	Crawler Drive
Start&Operation	Remote Control Start and Stop,Electric Start
FuelTank Capacity/Oil Tank Capacity	1.4L/0.5L
Maximum Tilt Angle	20°
N.W.	156kg
Carton Size	1000*940*660mm
Loading Qty (20GP/40GP/40HQ)	36/72/96Pcs



Model	DY230-452SB-00
Engine Type	Loncin IP92F-1,Air Cooled
Displacement	452CC
Starting Type	E-Start
Throttle Type	Manual Throttle
Cutting Width	23Inch(584mm)
Track Width	120mm
Battery	12V/20Ah×2 (For Driving) / 12V45Ah×1 (For E-Start)
Cutting Height	Remote Control 10-180mm
Remote Control Distance	500m
Driving Speed	0-4km/h
Maximum Tilt Angle	30°
N.W.	206kg
G.W.	230kg
Machine Size	1000*990*640mm
Package Size	1060*1050*810mm



Model	DY320-1630SB-00/ DY400-1630SB-00	DY480-1630SB-00
Motor	1600W	1600W
Engine	COOP,16HP/COOP,16HP	COOP,28HP
Drive Type	Crawler	Crawler
Start Type	Remote Start/Manual Start,500m	Remote Start/Manual Start,500m
Throttle Type	Remote Throttle/Manual Throttle,500m	Remote Throttle/Manual Throttle,500m
Cutting Width	800mm/1000mm	1200mm
Excitation Generator	48V/3000W	48V/3000W
Track Width	15cm	15cm
Battery	48V/20Ah/48V/20Ah	48V/20Ah
Height above Ground	30cm	30cm
Remote Control Distance	500m	500m
Driving Speed	6-8km/h	6-8km/h
Maximum Tilt Angle	≤35°	≤35°
N.W.	400KG/410KG	485KG
G.W.	470kg/480kg	555kg
Machine Size	1700*1000*750mm/1700*1200*760mm	1780*1400*800mm
Package Size	1800*1100*860mm/1760*1250*860mm	1850*1450*950mm



Model	DY400-420SB-00
Motor	1300W
Engine	Loncin 16HP
Drive Type	Crawler
Start Type	Remote Start/Manual Start,500m
Throttle Type	Manual Throttle,500m
Cutting Width	1000mm
Generator	48V/2500W
Track Width	15cm
Battery	48V/20Ah
Height above Ground	Remote Control 20cm
Remote Control Distance	500m
Driving Speed	4-6km/h
Maximum Tilt Angle	≤35°
N.W.	267kg
G.W.	335kg
Machine Size	1600*1200*680mm
Package Size	1660*1260*820mm

The product housing can be customized according to customer requirements



Model	DY330-764SB-00
Drive Type	Battery+Engine
Engine Type	Loncin 2P80 , Electric Start
Engine Cyliner	2
Displacement	764cc
Driving Motor	1100W*2
Driving Battery	48V /20Ah,Lead-acid Battery
Cutting Height	30-150mm
Cutting Width	838mm
Working Speed	0-4.3km/h
Remote Control Distance	0-150m
Oil Tank Capacity	10L
Working Time	3 Hour
Start	Remote Control Start and Stop
Climb In Angle	60°
Start Battery	12V /24Ah
Track Width	150mm
Carton Size	1450*1400*800mm
Loading Qty (20GP/40GP/40HQ)	8/16/24 Pcs



Model	DY330-740SB-01
Engine Type	Rato R740D,Air Cooled
Displacement	740CC
Starting Type	E-Start
Throttle Type	Manual Throttle
Cutting Width	33Inch(840mm)
Track Width	180mm
Battery	12V/12AH*4 (For Driving) / 12V/53AH*1 (For E-Start)
Cutting Height	Remote Control 30-180mm
Remote Control Distance	500m
Driving Speed	0-5km/h
Maximum Tilt Angle	45°
N.W.	418kg
G.W.	460kg
Machine Size	1560*1330*680mm
Package Size	1620*1390*850mm



Model	DY400-815SB-00
Engine	Chang Chai 195
Engine Type	Horizontal, Two-cylinder, Four-stroke, E-start
Fuel Type	Diesel
Cutting Width	1000mm
Adjustable range of the swing blade	0-240mm
Driving Speed	0-6km/h
Maximum Tilt Angle	≤45°
Minimum Ground Clearance	0mm
Operation mode	Remote Control
Drive Type	Crawler
Remote Control Distance	150m
N.W.	525kg
G.W.	555kg
Machine Size	1820mm*1140mm*760mm
Package Size	1880mm*1200mm*810mm



Model	DY320-420SB-01
Motor	1600W
Engine	Loncin, 16HP
Drive Type	Crawler
Start Type	Remote Start/Manual Start, 500m
Throttle Type	Remote Throttle/Manual Throttle, 500m
Snow Removal Width	Snow Shoveling 1000mm/Snow Throwing 800mm
Excitation Generator	48V/3000W
Track Width	15cm
Battery	48V/20Ah
Height Above Ground	Remote Control 20cm
Remote Control Distance	500m
Driving Speed	6-8km/h
Maximum Tilt Angle	≤35°
N.W.	370kg
G.W.	405kg
Machine Size	1850*1000*1120mm
Package Size	1900*1100*980mm



Model	DY400-2400SB-00
Motor	2400W
DC Generator	60V/5000W
Crawler	Width 15cm
Battery	60V/45Ah
Height above Ground	15cm
Remote Control Distance	500m
Driving Speed	6-8km/h
Loading Weight	≤1000kg
Maximum Tilt Angle	35°
Lifting	Height 1.5m
N.W.	300kg
Lift Frame Size	1800*950*800mm
Machine Size	1800*1000*1200mm